

Chemtech

NMP

| | | | | | | | | | | | | | |
|--|--|------------|--------------|------------------|---------|------------------------|---------|------------------|-------|---|-------------|--|-------------|
| Formula: Synonyms: CAS No: EINECS No: | C ₅ H ₉ NO 1-Methyl-2-pyrrolidinone;Methyl pyrrolidinone; N-Methylpyrrolidone 872-50-4;2687-44-7 212-828-1 | | | | | | | | | | | | |
| Specification: | <table><tr><td>Appearance</td><td>Clear Liquid</td></tr><tr><td>Purity (wt%, GC)</td><td>99.5min</td></tr><tr><td>Moisture (wt%, K. F.)</td><td>0.10max</td></tr><tr><td>Colority (Hazen)</td><td>30max</td></tr><tr><td>Density (D₄²⁰ g/ml)</td><td>1.032-1.035</td></tr><tr><td>Refractivity (N_D²⁰)</td><td>1.466-1.472</td></tr></table> | Appearance | Clear Liquid | Purity (wt%, GC) | 99.5min | Moisture (wt%, K. F.) | 0.10max | Colority (Hazen) | 30max | Density (D ₄ ²⁰ g/ml) | 1.032-1.035 | Refractivity (N _D ²⁰) | 1.466-1.472 |
| Appearance | Clear Liquid | | | | | | | | | | | | |
| Purity (wt%, GC) | 99.5min | | | | | | | | | | | | |
| Moisture (wt%, K. F.) | 0.10max | | | | | | | | | | | | |
| Colority (Hazen) | 30max | | | | | | | | | | | | |
| Density (D ₄ ²⁰ g/ml) | 1.032-1.035 | | | | | | | | | | | | |
| Refractivity (N _D ²⁰) | 1.466-1.472 | | | | | | | | | | | | |
| Use: | <p>It is used lubricant refining, antifreezing agent, desulfuration of synthesis gas, electronic insulating materials, agricultural herbicide, pesticide adjuvant, high-class coatings, inks, dyestuff.</p> <p>Extraction and of acetylene and butadiene.</p> <p>Used in the production of the lithium batteries and LCD liquid crystal materials. It is also used in industrial detergent.</p> <p>It is also a good solvent for insoluble polymers.</p> <p>Oil removing, degreasing, dewaxing, polishing, antirust, depainting for precision instruments, LCD liquid crystal materials, PCB printed circuit boards, hard discs and so on.</p> | | | | | | | | | | | | |
| Packing: | 200KG/Drum | | | | | | | | | | | | |

CHEMTECH B.V.

Roemer Visscherstraat 18-II, 1054 EX Amsterdam, The Netherlands

T: +31-20-671 5656, F: +31-20-341 6944, E: info@chemtechbv.com, W: www.chemtechbv.com