



PHEROBEES LURES CATALOGUE

Pest by latin name	Pest by common name
<i>Acalymma trivittatum stern</i>	Spotted Cucumber Beetle
<i>Acalymma vittatum Striped</i>	Cucumber Beetle
<i>Acleris rhombana</i>	Fruit tree tortrix
<i>Acrobasis nuxvorella</i>	Pecan Nut Case Bearer
<i>Acrobasis vaccinii</i>	Cranberry fruitworm
<i>Acrolepiopsis assectella</i>	Leek Moth
<i>Adoxophyes orana</i>	Summer fruit Tortrix
<i>Agriotes lineatus</i>	Lined Click Beetle
<i>Agriotes obscurus</i>	Dusky Wireworm
<i>Agriotes sordidus</i>	Click beetle
<i>Agriotes species</i>	Click beetle
<i>Agriotes spp</i>	Agriotes wireworm
<i>Agriotes sputator</i>	Common click beetle
<i>Agriotes ustulatus</i>	Click beetle
<i>Agrotis andina</i>	Quinoa cutworm
<i>Agrotis exclamationis</i>	Heart and dart moth
<i>Agrotis ipsilon</i>	Black Cutworm
<i>Agrotis orthogonia</i>	Pale Western Cutworm
<i>Agrotis segetum</i>	Turnip Moth
	Ambrosia Beetle
<i>Amyelois transitella</i>	Navel orange worm
<i>Anarsia lineatella</i>	Peach Twig Borer
<i>Anastrepha fraterculus</i>	South African Fruit Fly
<i>Anastrepha ludens</i>	Mexican Fruit Fly
<i>Anomala rufocuprea</i>	Soybean beetle
<i>Anoplophora glabripennis</i>	Asian Longhorn Beetle
<i>Anthonomus eugenii</i>	Pepper Weevil
<i>Anthonomus grandis</i>	Cotton Boll Wee
<i>Aonidiella aurantii</i>	California Red Scale
<i>Aonidiella citrina</i>	Yellow Scale
<i>Apamea oblonga</i>	Crescent Striped moth
<i>Apis mellifera</i>	Honeybee Nasonov
<i>Apomyelois ceratoniae (Ectomyelois)</i>	Carob moth
<i>Archips argyrosphila</i>	Fruittree Leafroller
<i>Archips argyrosphilus</i>	Pear Leafroller
<i>Archips cerasivorana</i>	Uglynest Caterpillar
<i>Archips crataegana</i>	Brown Oak Tortrix
<i>Archips podana</i>	Fruittree Tortrix
<i>Archips rosana</i>	Rose tortrix
<i>Archips xylostearna</i>	Variegated golden tortrix
<i>Argyresthia conjugella</i>	Apple Fruit Moth
<i>Argyresthia pruniella</i>	Cherry Blossom Tineid
<i>Argyresthia thuiella</i>	Arborvitae leafminer
<i>Argyresthia trifasciata</i>	Juniperus leafminer
<i>Argyrotaenia citrana</i>	Orange Tortrix
<i>Argyrotaenia pulchellana</i>	Eulia
<i>Argyrotaenia sphaleropa</i>	South American Tortrix Moth
<i>Argyrotaenia velutinana</i>	Redbanded Leafroller

PHEROBEES

Apollolaan 137, 1077 AR Amsterdam, Netherlands

T: +31-20-6715656, F: +31-20-3416944, E: info@pherobees.com, W: www.pherobees.com



Pest by latin name	Pest by common name
<i>Autographa californica</i>	Alfalfa Looper
<i>Autographa gamma</i>	Gamma fly
<i>Bactrocera cucurbitae</i> (Dacus)	Melon fruit fly
<i>Bactrocera dorsalis</i> (Dacus)	Oriental fruit fly
<i>Bactrocera invadens</i> (dorsalis)	
<i>Bactrocera oleae</i> (Dacus)	Olive fruit fly
<i>Bactrocera zonata</i> (Dacus)	Peach fruit fly
<i>Batrachedra amydraula</i>	Lesser Date Moth
Beetle <i>Prionus</i> spp.	Prionus Longhorn
<i>Bembecia ichneumoniformis</i>	Six-belted clearwing moth
<i>Bemisia tabaci</i>	Tobacco whitefly
<i>Bonagota cranaodes</i>	Brazilian apple leafroller
<i>Bonagota salubricola</i>	Brazilian Apple Leafroller
<i>Brontispa longissimi</i>	Coconut Leaf Beetle
<i>Busseola fusca</i>	Maize Stalk Borer
<i>Cacoecimorpha pronubana</i>	European Carnation Tortix
<i>Cactoblastis cactorum</i>	Cactus Moth
<i>Cadra figulella</i>	Raisin Moth
<i>Cameraria ohridella</i>	Horse chestnut Leafminer
<i>Carposina niponensis</i>	Peach Fruit Moth
<i>Carpophilus</i> spp.	Dried Fruit Beetles
<i>Cathartus quadricollis</i>	Square-necked Grain Beetle
<i>Cephalcia larciphila</i>	Web-spinning Larch Saw Fly
<i>Ceratitis capitata</i> (Trimedlure)	Mediterranean fruit fly
<i>Ceratitis capitata</i>	MedFly
<i>Ceratitis cosyra</i>	Marula Fruit Fly
<i>Ceratitis rosa</i>	Natal Fruit Fly
<i>Chilo infuscatellus</i>	Sugarcane shoot borer
<i>Chilo partellus</i>	Spotted Stalk Borer
<i>Chilo sacchariphagus indicus</i>	Sugarcane stem borer
<i>Chilo suppressalis</i>	Asiatic rice borer
<i>Choristoneura fumiferana</i>	Eastern Spruce Budworm
<i>Choristoneura hebenstreitella</i>	Mountain Ash Tortricid
<i>Choristoneura occidentalis</i>	Western Spruce Budworm
<i>Choristoneura orae</i>	Spruce Budworm
<i>Choristoneura pinus</i>	Jack Pine Budworm
<i>Choristoneura rosaceana</i>	Oblique Banded Leafroller
<i>Chrysodeixis chalcites</i>	Tomato looper
<i>Chrysoteuchia topiaria</i>	Cranberry Girdler
<i>Clepsidra spectrana</i>	Cabbage Leafroller
<i>Cnaphalocrocis medinalis</i>	Rice leaf folder moth
<i>Cnephasia longana</i>	Omnivorous Leaf-tier
<i>Cnephasia pumicana</i>	Cereal tortrix
<i>Cochylis hospes</i>	Banded Sunflower Moth
<i>Coleophora deauratella</i>	Red Clover Casebearer
<i>Coleophora laricella</i>	Larch Casebearer
<i>Coloradia pandora</i>	Pandora Moth
<i>Coniesta ignefusalis</i>	Millet Stemborer
<i>Conopomorpha cramerella</i>	Coco Pod Borer
<i>Conotrachelus nenuphar</i>	Plum Curculio

PHEROBEES

Apollolaan 137, 1077 AR Amsterdam, Netherlands

T: +31-20-6715656, F: +31-20-3416944, E: info@pherobees.com, W: www.pherobees.com



Pest by latin name	Pest by common name
<i>Contarinia nasturtii</i>	Swede Midge
<i>Contarinia oregonensis</i>	Douglas-Fir Cone Gall Midge
<i>Copitarsia decolora</i>	Mexican copitarsia
<i>Copitarsia incommoda</i>	Quinoa copitarsia
<i>Coryphodema tristis</i>	South African Cossid Moth
<i>Cosmopolites sordidus</i>	Black banana weevil
<i>Cossus cossus</i>	European Goat Moth
<i>Cryptoblabes gnidiella</i>	Honeydew Moth
<i>Cryptophlebia leucotreta</i>	False Codling Moth
<i>Cryptophlebia ombrodelta</i>	Macadamia Nut Borer
<i>Curculio caryae</i>	Pecan Weevil
<i>Cydalima perspectalis</i> (Diaphania, Glyphodes)	Box tree pyralid
<i>Cydia caryana</i>	Hickory Schuckworm
<i>Cydia fagiglandana</i>	Beech Moth
<i>Cydia funebrana</i> (Grapholita)	Plum fruit moth
<i>Cydia nigricana</i> (Laspeyresia)	Pea moth
<i>Cydia pomonella</i> (Laspeyresia)	Codling moth
<i>Cydia pyrivora</i>	Pear tortrix
<i>Cydia splendana</i>	Chestnut Tortrix
<i>Cydia strobilella</i>	<i>Cydia strobilella</i>
<i>Cylas brunneus</i>	African Sweet Potato Weevil
<i>Cylas formicarius</i>	Sweet Potato Weevil
<i>Dacus ciliatus</i>	Ethiopian Fruit Fly
<i>Dacus dorsalis</i>	Oriental Fruit Fly
<i>Dacus oleae</i>	Olive Fruit Fly
<i>Dacus species see</i>	Bactrocera
<i>Darna pallivitta</i>	Nettle caterpillar
<i>Dasineura mali</i>	Apple Leaf Gall Midge
<i>Delia radicum</i>	Cabbage Root Fly
<i>Dendroctonus armandi</i>	Chinese White Pine Beetle
<i>Dendroctonus brevicomis</i>	Western Pine Beetle
<i>Dendroctonus frontalis</i>	Southern Pine Beetle
<i>Dendroctonus jeffreyi</i>	Jeffrey Pine Beetle
<i>Dendroctonus ponderosae</i>	Mountain Pine Beetle
<i>Dendroctonus pseudotsugae</i>	Douglas-Fir Beetle
<i>Dendroctonus refipennis</i>	Spruce Beetle
<i>Dendroctonus valens</i>	Red Turpentine Beetle
<i>Dendrolimus pini</i>	European Pine Moth
<i>Dendrolimus spectabilis</i>	Pine Moth
<i>Desmia funeralis</i>	Grape Leaf Folder
<i>Diabrotica balteata</i>	Banded Cucumber Beetle
<i>Diabrotica barberi</i>	Northern Corn Rootworm
<i>Diabrotica u. howardii</i>	Spotted Cucumber Beetle
<i>Diabrotica u. undecimpunctata</i>	Western Striped Cucumber Beetle
<i>Diabrotica virgifera virgifera</i>	Western corn rootworm
<i>Diabrotica virgifera zeae</i>	Mexican Corn Rootworm
<i>Diaphania nitidalis</i>	Pickleworm
<i>Diaphorinia citri</i>	Asian Citrus Psyllid
<i>Diatraea grandiosella</i>	Southwestern Corn Borer
<i>Diatraea saccharalis</i>	Sugarcane borer

PHEROBEES

Apollolaan 137, 1077 AR Amsterdam, Netherlands

T: +31-20-6715656, F: +31-20-3416944, E: info@pherobees.com, W: www.pherobees.com



Pest by latin name	Pest by common name
<i>Dioryctria abietivorella</i>	Fir Coneworm
<i>Dioryctria amatella</i>	Southern Pine Coneworm
<i>Dioryctria auranticella</i>	Ponderosa Pine Coneworm
<i>Dioryctria disclusa</i>	Webbing Coneworm
<i>Diparopsis castanea</i>	Red Bollworm
<i>Diprion pini</i>	European Pine Sawfly
<i>Distantiella theobroma</i>	Cocoa mirid
<i>Dorysthenes granulosus</i>	Sugarcane Borer
<i>Drosophila melanogaster</i>	Common fruit fly cis-vaccenyl acetate
<i>Drosophila suzukii</i>	Spotted Wing Drosophila
<i>Dryocetes autographus</i>	
<i>Dryocetes confusus</i>	Western Balsam Bark Beetle
<i>Duponchelia fovealis</i>	European pepper moth
<i>Earias biplaga</i>	Spiny Bollworm
<i>Earias insulana</i>	Spiny bollworm
<i>Earias vittella</i>	Spotted bollworm
<i>Ectomyelois ceratoniae</i>	Carob Moth
<i>Elasmopalpus lignosellus</i>	Lesser Cornstalk Borer
<i>Enarmonia formosana</i>	Cherrybark tortrix moth
<i>Endopiza viteana</i>	Grape Berry Moth
<i>Eoreuma loftini</i>	Mexican Rice Stem Borer
<i>Ephestia kuehniella</i>	Mediterranean Flour Moth
<i>Epichoristodes acerbella</i>	South African Carnation Tortrix
<i>Epiphyas postvittana</i>	Light Brown Apple Moth
<i>Eucosma gloriola</i>	Eastern Pine Shoot Borer
<i>Eucosma sonomana</i>	Western Pine Shoot Borer
<i>Eupoecilia ambiguella</i>	European grape berry moth
<i>Euschistus conspersus</i>	Conspere Stink Bug
<i>Euwallacea fornicatus</i>	Tea Shot-hole Borer
<i>Euwallacea spp. nr. fornicatus</i>	Polyphagous Shot-Hole Borer
<i>Euzophera bigella</i>	Quince Moth
<i>Euzophera pinguis</i>	Tabby Knot-horn
<i>Euzophera punicaella</i>	Pyralidae moth
<i>Euzophera semifuneralis</i>	American Plum Borer
<i>Evergestis forficalis</i>	Garden pebble moth
<i>Exomala orientalis</i>	Oriental Beetle
<i>Faronta diffusa</i>	Wheat Head Armyworm
<i>Felderiola candescens</i>	Rooibos clearwing
<i>Frankliniella occidentalis</i>	Western Flower Thrips
<i>Fumibotys fumalis</i>	Mint Root Borer
<i>Gnathotrichus spp.</i>	Wood Stainers
<i>Gortyna xanthenes</i>	Artichoke moth
<i>Grapholita funeberana</i>	Plum Fruit Moth
<i>Grapholita janthinana (Cydia)</i>	Hawthorn-berry moth
<i>Grapholita lobarzewskii</i>	Appleseed moth
<i>Grapholita molesta (Cydia)</i>	Oriental fruit moth
<i>Grapholita prunivora Lesser</i>	Apple Worm
<i>Gypsonoma aceriana</i>	Poplar shoot borer
<i>Halyomorpha halys</i>	Brown Marmorated Stink Bug
<i>Harrisina brillians</i>	Western Grapeleaf Skeletonizer

PHEROBEES

Apollolaan 137, 1077 AR Amsterdam, Netherlands

T: +31-20-6715656, F: +31-20-3416944, E: info@pherobees.com, W: www.pherobees.com



Pest by latin name	Pest by common name
<i>Hedya nubiferana</i> (H. dimidioalba)	Green budmoth
<i>Helicoverpa armigera</i> (Heliiothis)	Cotton bollworm
<i>Helicoverpa assulta</i>	Oriental tobacco budworm
<i>Helicoverpa punctigera</i> (Heliiothis)	Native budworm
<i>Helicoverpa quinoa</i>	Quinoa bollworm
<i>Helicoverpa zea</i>	Corn Earworm
<i>Heliiothis virescens</i>	Tobacco Budworm
<i>Heliiothis zea</i>	Corn earworm
<i>Hellula undalis</i>	Cabbage webworm
<i>Hemileuca maia</i> (Eastern)	Buck moth
<i>Hippotion celerio</i>	Silver-striped Hawk Moth
<i>Homoeosoma electellum</i>	Sunflower Moth
<i>Hylemya antiqua</i>	Onion Fly
<i>Hylemya platura</i>	Seed-Corn Fly
<i>Hylobius abietis</i>	Large Pine Weevil
<i>Hylobius pinastri</i>	Pine Weevil
<i>Hylotrupes bajulus</i>	Old House Borer
<i>Hypothenemus hampei</i>	Coffee Berry Borer
<i>Hyphantria cunea</i>	Fall Web Worm Moth
<i>Ichneumenoptera cf. xanthosoma</i>	Cinnamon clearwing moth
<i>Ichneumenoptera chrysophanes</i>	Clearwing persimmon borer
<i>Ips acuminatus</i>	Engraver beetle
<i>Ips cembrae</i>	European Larch Bark Beetle
<i>Ips duplicatus</i>	Northern Bark Beetle
<i>Ips grandicollis</i>	Eastern Fivespined Ips
<i>Ips perturbatus</i>	Engraver Beetle Perturbatus
<i>Ips pini</i>	Pine Engraver Beetle
<i>Ips sexdentatus</i>	Six-toothed Spruce Bark Beetle
<i>Ips subelongatus</i>	Asian Larch Bark Beetle
<i>Ips typographus</i>	European Spruce Bark Beetle
<i>Keiferica lycopersicella</i>	Tomato Pinworm
<i>Kermania pistaciella</i>	Pistachio Twig Borer
<i>Lacanobia oleracea</i> (Mamestra)	
<i>Lacanobia subjuncta</i>	
<i>Lampronia capitella</i>	Currant shoot borer
<i>Lasioderma serricone</i>	Cigarette Beetle
<i>Leguminivora glycinivorella</i>	Soybean pod borer
<i>Leucinodes orbonalis</i>	Eggplant Shoot Borer
<i>Leucoptera scitella</i> (L. malifoliella)	Apple circular leaf miner
<i>Lobesia botrana</i>	European Grapevine Moth
<i>Loxagrotis albicosta</i>	Western Bean Cutworm
<i>Lycorma delicatula</i>	Spotted Lantern Fly
<i>Lymanthria monacha</i>	Nun moth
<i>Lymantria dispar</i>	Gypsy Moth
<i>Lyonetia clerkella</i>	Apple leaf miner
<i>Macronoctua onusta</i>	Iris Borer
<i>Maduca sexta</i>	Tobacco Hornworm
<i>Malacosoma americanum</i>	Eastern Tent Caterpillar
<i>Malacosoma californicum</i>	Western Tent Caterpillar
<i>Malacosoma distria</i>	Forest Tent Caterpillar

PHEROBEES

Apollolaan 137, 1077 AR Amsterdam, Netherlands

T: +31-20-6715656, F: +31-20-3416944, E: info@pherobees.com, W: www.pherobees.com



Pest by latin name	Pest by common name
<i>Maliarpha separata</i>	African white stemborer
<i>Mamestra brassicae</i>	Cabbage Moth
<i>Mamestra configurata</i>	Bertha Armyworm
<i>Maruca vitrata</i>	Legume pod borer
<i>Mayetiola destructor</i>	Hessian Fly
<i>Meligethes aeneus</i>	Pollen Beetle
<i>Melissopus latiferreanus</i>	Filbert Worm
<i>Melittia cucurbitae</i>	Squash Vine Borer
<i>Metamasius hemipterus</i>	West Indian Sugarane Weevil
<i>Mnesampela privata</i>	Autumn Gum Moth
<i>Monochamus alternatus</i>	Japanese Pine Sawyer
<i>Monochamus</i> spp.	Longhorn Beetle
<i>Murgantia histrionica</i>	Harlequin Bug
<i>Musca domestica</i>	House fly
<i>Mythimna loreyi</i>	Lorey leafworm
<i>Mythimna unipuncta</i>	True armyworm
<i>Neoleucinodes elegantalis</i>	Tomato fruit borer
<i>Noctua pronuba</i>	Large Yellow Underwing
<i>Opogana sacchari</i>	Banana Moth
<i>Orgyia antiqua</i>	Rusty tussock moth
<i>Orgyia pseudotsugata</i>	Douglas-Fir Tussock Moth
<i>Orgyia thyellina</i>	White Spotted Tussock Moth
<i>Orthosia cerasi</i> (<i>O. stabilis</i>)	Powered quaker moth
<i>Orthosia gothica</i>	Hebrew character
<i>Orthosia hibisci</i>	Speckled Green Fruit Worm
<i>Orthosia incerta</i>	Clouded drab moth
<i>Orthotomicus erosus</i>	Mediterranean Pine Engraver
<i>Oryctes elegans</i>	Date Fruit Stalk Borer
<i>Oryctes oryctes</i>	Fruit Stalk Borer
<i>Oryctes rhinoceros</i>	Coconut Rhinoceros Beetle
<i>Ostrina nubilalis</i>	European Corn Borer
<i>Ostrinia furnacalis</i>	Asian Corn Borer
<i>Ostrinia nubilalis</i> (EZ-strain)	European corn borer
<i>Ostrinia nubilalis</i> (E-strain)	European corn borer
<i>Ostrinia nubilalis</i> (Z-strain)	European corn borer
<i>Palpita unionalis</i>	Jasmine Moth
<i>Pammene argyrana</i>	Early fruit moth
<i>Pammene fasciana</i>	Chestnut leafroller
<i>Pammene rhediella</i>	Fruitlet Mining Tortrix
<i>Pandemis cerasana</i>	Barred Fruit Tree Tortrix
<i>Pandemis heparana</i>	Dark oblique-barred twist
<i>Pandemis limitata</i>	Threelined leafroller
<i>Pandemis pyrusana</i>	Apple Pandemis
<i>Panolis flammea</i>	Pine Beauty Moth
<i>Paranthrene robiniae</i>	Western poplar clearwing
<i>Paranthrene tabaniformis</i>	Poplar twig borer
<i>Parapediasia teterrella</i>	Bluegrass Webworm
<i>Pectinophora gossypiella</i>	Pink Boll Worm
<i>Pennisetia bohemica</i>	Raspberry Crown Borer
<i>Pennisetia hylaeiformis</i>	Raspberry Clearwing Moth

PHEROBEES

Apollolaan 137, 1077 AR Amsterdam, Netherlands

T: +31-20-6715656, F: +31-20-3416944, E: info@pherobees.com, W: www.pherobees.com



Pest by latin name	Pest by common name
<i>Pennisetia marginata</i>	Raspberry Crown Borer
<i>Peridroma saucia</i>	Variiegated Cutworm
<i>Phthorimaea operculella</i>	Potato tuberworm moth
<i>Phyllocnistis citrella</i>	Citrus Leafminer
<i>Phyllonorycter blancardella</i> (Lithocolletis)	Spotted tentiform leafminer
<i>Phyllonorycter corylifoliella</i> (Lithocolletis)	Upper leaf surface mining moth
<i>Phyllopertha horticola</i>	Garden chafer
<i>Phyllotreta</i> spp.	Flea Beetle
<i>Phytocoris californicus</i>	Pistachio Plant Bug
<i>Pityogenes chalcographus</i>	Six-spined Engraver Beetle
<i>Pityophthorus juglandis</i>	Walnut Twig Beetle
<i>Planococcus citri</i>	Citrus Mealybug
<i>Planococcus ficus</i>	Vine Mealybug
<i>Platynota Flavedana</i>	Variiegated Leafroller
<i>Platynota ideausalis</i>	Tufted Apple Budmoth
<i>Platynota stultana</i>	Omnivorous Leafroller
<i>Platyptilia carduidactyla</i>	Artichoke Plume Moth
<i>Platypus quercivorus</i>	Oak Ambrosia Beetle
<i>Plautia stali</i>	Brown-winged Green Bug
<i>Plodia interpunctella</i>	Indian Meal Moth
<i>Plodia/Ephestia</i>	species different stored product moths
<i>Plutella xylostella</i>	Diamondback Moth
<i>Podosesia aureocincta</i>	Banded Ash Clearwing
<i>Podosesia syringae</i>	Lilac Borer
<i>Popillia japonica</i>	Japanese beetle
<i>Prays citri</i>	Citrus flower moth
<i>Prays oleae</i>	Olive Moth
<i>Prionoxystus robiniae</i>	Carpenter Worm
<i>Prionus californicus</i>	Prionus Calif. Longhorn Beetle
<i>Prostephanus truncatus</i>	Larger Grain Borer
<i>Pseudococcus viburni</i>	Obscure Mealybug
<i>Pseudococcus longispinus</i>	Longtailed Mealybug
<i>Pseudococcus maritimus</i>	Grape Mealybug
<i>Pseudoplusia includens</i>	Soybean Looper
<i>Pseudaletia unipuncta</i>	True Armyworm
<i>Ptycholoma lecheana</i>	Leche's Twist Moth
<i>Quadraspidiotus perniciosus</i>	San José scale
<i>Rhagoletis cerasi</i>	European Cherry Fruit Fly
<i>Rhagoletis cingulata</i>	Eastern Cherry Fruit Fly
<i>Rhagoletis completa</i>	Walnut Husk Fly
<i>Rhagoletis fausta</i>	Rhagoletis fausta
<i>Rhagoletis indifferens</i>	Western Cherry Fruit Fly
<i>Rhagoletis mendax</i>	Blueberry Maggot
<i>Rhagoletis pomonella</i>	Apple Maggot
<i>Rhopobota naevana</i>	Blackheaded Fireworm
<i>Rhyacionia buoliana</i>	European Pine Shoot Moth
<i>Rhyacionia frustrana</i>	Nantucket Pine Tip Moth
<i>Rhyacionia rigidana</i>	Pitch Pine Tip Moth
<i>Rhyacionia zozana</i>	Ponderosa Pine Tip Moth
<i>Rhynchophorus ferrugineus</i>	Red Palm Weevil

PHEROBEES

Apollolaan 137, 1077 AR Amsterdam, Netherlands

T: +31-20-6715656, F: +31-20-3416944, E: info@pherobees.com, W: www.pherobees.com



Pest by latin name	Pest by common name
<i>Rhynchophorus palmarum</i>	South American Palm Weevil
<i>Rhyzopertha dominica</i>	Lesser grain borer
<i>Riptortus clavatus</i>	Bean bug
<i>Sabulodes aegrotata</i>	Omnivorous Looper
<i>Sahlbergella singularis</i>	Cocoa mirid
<i>Saturnia mendocino</i>	, <i>S. walterorum</i> , <i>S. albofasciata</i> Emperor Moths
<i>Saturnia pavonia</i>	Small emperor moth
<i>Scirpophaga incertulas</i>	Yellow stem borer
<i>Scirpophaga nivella</i>	Sugarcane top borer
Scolytid beetles	
<i>Scolytus schevyrewi</i>	Banded Elm Bark Beetle
<i>Scolytus ventralis</i>	Fir Engraver Beetle
<i>Scrobipalpia ocellatella</i>	Sugarbeet Moth
<i>Sesamia calamistis</i>	Pink Maize Borer
<i>Sesamia cretica</i>	Durra stem borer
<i>Sesamia inferens</i>	Purple stem borer
<i>Sesamia nonagrioides</i>	Corn Stalk Borer
<i>Sesia apiformis</i>	Hornet clearwing
<i>Setora nitens</i>	Coconut nettle caterpillar
<i>Setothosea asigna</i>	Nettle caterpillar
<i>Sirex noctilio</i>	Sirex Wood Wasp
<i>Sitodiplosis mosellana</i>	Orange wheat blossom midge
<i>Sitona inops</i>	Sitona Weevil
<i>Sitophilus oryzae</i>	Rice Weevil
<i>Sitotroga cerealella</i>	Angoumois grain moth
<i>Sparganothis pilleriana</i>	Grape-berry moth
<i>Sparganothis pilleriana</i>	Leaf-rolling Tortrix
<i>Sparganothis sulfureana</i>	Sparganothis Fruit Worm
<i>Sphenophorus levis</i>	Sugarcane Weevil
<i>Spilonota laricana</i>	Larch Shoot
<i>Spilonota ocellana</i>	Eye Spotted Budmoth
<i>Spodoptera eridania</i>	Southern armyworm
<i>Spodoptera exempta</i>	Nutgrass Armyworm
<i>Spodoptera exigua</i>	Beet Army Worm
<i>Spodoptera frugiperda</i>	Fall Armyworm
<i>Spodoptera littoralis</i>	Egyptian cotton leafworm
<i>Spodoptera litura</i>	Tobacco Cutworm
<i>Spodoptera praefica</i>	Western Yellow Striped Armyworm
<i>Stenoma catenifer</i>	Avocado Seed Moth
<i>Stiophilus zeamais</i>	Maize Weevil
<i>Symmetrischema tangolias</i>	Andean Potato Tuber Moth
<i>Synanthedon acerni</i>	Maple Callus Borer
<i>Synanthedon acerrubri</i>	Maple Borer
<i>Synanthedon bibionipennis</i>	Strawberry Crown Moth
<i>Synanthedon conopiformis</i>	Dale's Oak Clearwing
<i>Synanthedon culiciformis</i>	Large red-banded clearwing moth
<i>Synanthedon exitiosa</i>	Peach Tree Borer
<i>Synanthedon flaviventris</i>	Sallow Clearwing
<i>Synanthedon formicaeformis</i>	Red-tipped clearwing moth
<i>Synanthedon myopeaformis</i>	Apple Clearwing Moth

PHEROBEES

Apollolaan 137, 1077 AR Amsterdam, Netherlands

T: +31-20-6715656, F: +31-20-3416944, E: info@pherobees.com, W: www.pherobees.com



Pest by latin name	Pest by common name
<i>Synanthedon pictipes</i>	Lesser Peachtree Borer
<i>Synanthedon polaris</i>	Polar clearwing moth
<i>Synanthedon scitula</i>	Dogwood Borer
<i>Synanthedon scoliaeformis</i>	Welsh clearwing moth
<i>Synanthedon sequoiae</i>	Sequoia Pitch Moth
<i>Synanthedon soffneri</i>	Honeysuckle clearwing moth
<i>Synanthedon spheciformis</i>	White-barred Clearwing
<i>Synanthedon spuleri</i>	
<i>Synanthedon tipuliformis</i>	Currant Clearwing Moth
<i>Synanthedon vespiformis</i>	Yellowlegged clearwing moth
<i>Syndemis musculana</i>	Autumn leafroller
<i>Tropinota hirta</i>	Epicometis hirta
<i>Tecia solanivora</i> (Scrobipalopsis)	Guatemalan potato moth
<i>Tetropium fuscum</i>	Spruce Longhorn Beetle
<i>Thaumatotibia leucotreta</i> (Cryptophlebia)	False codling moth
<i>Thaumetopoea processionea</i>	Oak Processionary Moth
<i>Thaumetopoeae pityocampa</i>	Pine Processionary Moth
Thrips species	
<i>Tineola bisselliella</i>	Webbing Clothes Moth
<i>Tomicus minor</i>	Small Pine Shoot Beetle
<i>Tomicus piniperda</i>	Larger Pine Shoot Beetle
<i>Tortix viridana</i>	European Oak Leafroller
<i>Tribolium</i> spp.	
<i>Trichopherus campestris</i>	Velvet Longhorn Beetle
<i>Trichoplusia ni</i>	Cabbage Looper
<i>Trigonotylus caelestialium</i>	Rice leaf bug
<i>Trogoderma granarium</i>	Khapra Beetle
<i>Trypodendron lineatum</i>	Striped Ambrosia Beetle
<i>Tuta absoluta</i>	Tomato Leafminer
<i>Vespula</i> spp.	Yellow-jacket Wasp
<i>Vitacea polistiformis</i>	Grape Root Borer
<i>Cylas puncticollis</i>	African Sweet Potato Weevil
<i>Rhabdoscelus obscurus</i>	New Guinea Sugarcane Weevil
<i>Xyleborus glabratus</i>	Redbay Ambrosia Beetle
<i>Xylomyges curialis</i>	Citrus Cutworm
<i>Yponomeuta evonymella</i>	Bird-cherry Ermine Moth
<i>Yponomeuta malinellus</i>	Apple Ermine Moth
<i>Yponomeuta padella</i> (Hyponomeuta)	Orchard Ermine Moth
<i>Zeiraphera griseana</i>	Dingy Larch Bell
<i>Zeuzera pyrina</i>	Leopard Moth

PHEROBEES

Apollolaan 137, 1077 AR Amsterdam, Netherlands

T: +31-20-6715656, F: +31-20-3416944, E: info@pherobees.com, W: www.pherobees.com